LIST OF CONTENTS

NUMBER 1

CHING-TING LEE, HUNG-PIN SHIAO, NIEN-TZE YEH, CHANG-DA TSAI, YEN-TANG LYU and YUAN-KUANG TU: Thermal reliability and characterization of InGaP Schottky contact with Ti/Pt/Au metals 1

WEN-SHIUNG LOUR: ZnSe/Si visible-sensitivity emitter bipolar transistors 7

WEN-SHIUNG LOUR: Investigation of doping-spike effect on InGaP/GaAs single heterojunction bipolar transistors 11

J. PALLARÈS, L. F. MARSAL, X. CORREIG, J. CALDERER and R. ALCUBILLA: Space charge recombination in P–N junctions with a discrete and continuous trap distribution 17

M. MARSO, M. HORSTMANN, H. HARDTDEGEN, P. KORDOŠ and H. LÜTH: Electrical behaviour of the InP/InGaAs based MSM–2DEG diode 25

A. D. SADOVNIKOV and D. J. ROULSTON: A new numerical method for quasi-three-dimensional small-signal simulation of silicon bipolar transistors 33

J. JIANG, O. O. AWADELKARIM and Y. D. CHAN: A study of carrier-trap generation by Fowler–Nordheim tunneling stress on polycrystalline-silicon/SiO_2/silicon structures 41

M. V. RAO, W. STACEY and H. B. DIETRICH: Characteristics of fully implanted GaAs vertical PIN diodes 47

Z. KACHWALLA and W. D. KING: Measurements of the components of source resistance of HEMTs using slotted transmission line structures 51

P. RINALDI and N. RINALDI: Composition grading for base transit time minimization in HBTs: an analytical approach 59

E. MIRANDA, A. FAIGÓN and F. CAMPABADAL: Analysis of experimental current oscillations in MOS structures using a semi-empirical tunneling model 67

V. A. VASHCHENKO, J. B. MARTYNOV and V. F. SINKEVITCH: Simulation of multiple filaments in GaAs structures 75

VLADIMÍR ČECH: Determination of the bulk density of states in a-Si: H by steady-state SCLC 81

BENJAMÍN IÑÍGUEZ and TOR A. FJELDLY: Unified substrate current model for MOSFETs 87

NUMBER 2

PROCEEDINGS OF THE TOPICAL WORKSHOP ON III–V NITRIDES

Foreword viii

Preface ix

Committees x

SESSION A
PHOTONIC DEVICES

ROBERT F. DAVIS, T. W. WEEKS JR, M. D. BREMSER, S. TANAKA, R. S. KERN, Z. SITAR, K. S. AILEY, W. G. PERRY and C. WANG: Growth of AlN and GaN thin films via OMVPE and gas source MBE and their characterization 129

SESSION B
GROWTH

K. UCHIDA, A. WATANABE, F. YANO, M. KOUGUCHI, T. TANAKA and S. MINAGAWA: Characterization of nitridated layers and their effect on the growth and quality of GaN 135

F. SCHOLZ, V. HÄRLE, H. BOLAY, F. STEUBER, B. KAUFMANN, G. REYHER, A. DÖRNEN, O. GFRÖRER, S.-J. IM and A. HANGLEITER: Low pressure metalorganic vapor phase epitaxial growth of GaN/GaInN heterostructures 141

MASAYA SHIMIZU, YASUTOSHI KAWAGUCHI, KAZUMASA HIRAMATSU and NOBUHIKO SAWAKI: MOVPE growth of thick homogeneous InGaN directly on sapphire substrate using AlN buffer layer 145

AKIO YAMAMOTO, YASUYUKI YAMAUCHI, MITSUGU OHKUBO, AKIHIRO HASHIMOTO and TOHRU SAITOH: Heteroepitaxial growth on InN on Si(111) using a GaAs intermediate layer 149

SESSION C
LEDs

MAREK OSIŃSKI and PETR G. ELISEEV: Radiative recombination mechanisms in high brightness Nichia blue LEDs 155

SESSION D
DEVICE PROCESS

S. J. PEARTON, R. J. SHUL, G. F. MCLANE and C. CONSTANTINE: Reactive ion etching of III–V nitrides 159

Y.-F. WU, W.-N. JIANG, B. P. KELLER, S. KELLER, D. KAPOLNEK, S. P. DENBAARS, U. K. MISHRA and B. WILSON: Low resistance ohmic contact to *n*-GaN with a separate layer method 165

W. KIM, O. AKTAS, A. SALVADOR, A. BOTCHKAREV, B. SVERDLOV, S. N. MOHAMMAD and H. MORKOÇ: MBE grown high quality GaN films and devices 169

SESSION E
ELECTRON DEVICES

STEVEN C. BINARI, K. DOVERSPIKE, G. KELNER, H. B. DIETRICH and A. E. WICKENDEN: GaN FETs for microwave and high-temperature applications 177

SESSION F
CHARACTERIZATION

B. MONEMAR, J. P. BERGMAN, T. LUNDSTRÖM, C. I. HARRIS, H. AMANO, I. AKASAKI, T. DETCHPROHM, K. HIRAMATSU and N. SAWAKI: Optical characterization of GaN and related materials 181

J. A. FREITAS JR, T. A. KENNEDY, E. R. GLASER and W. E. CARLOS: Optical and magnetic resonance characterization of undoped and doped wurtzite GaN films deposited on sapphire substrates 185

M. KUNZER, J. BAUR, U. KAUFMANN, J. SCHNEIDER, H. AMANO and I. AKASAKI: Properties of Mg and Zn acceptors in MOVPE GaN as studied by optically detected magnetic resonance 189

WALTER R. L. LAMBRECHT: Band-gap bowing in $Ga_{1-x}In_xN$ alloys 195

H. OKUMURA, K. OHTA, K. ANDO, W. W. RÜHLE, T. NAGATOMO and S. YOSHIDA: Bandgap energy of cubic GaN 201

HISAO SATO, MIHIR RANJAN SARKAR, YOSHIKI NAOI and SHIRO SAKAI: XPS measurement of valence band discontinuity at GaP/GaN heterointerfaces 205

SESSION G
GROWTH AND CHARACTERIZATION

M. KONDOW, K. UOMI, A. NIWA, T. KITATANI, S. WATAHIKI, Y. YAZAWA, K. HOSOMI and T. MOZUME: GaNAs grown by gas-source molecular beam epitaxy 209

M. A. L. JOHNSON, SHIZUO FUJITA, W. H. ROWLAND JR, K. A. BOWERS, W. C. HUGHES, Y. W. HE, N. A. EL MASRY, J. W. COOK JR, J. F. SCHETZINA, J. REN and J. A. EDMOND: MBE growth and properties of GaN on GaN/SiC substrates 213

J. W. ORTON, D. E. LACKLISON, A. V. ANDRIANOV, T. S. CHENG, D. J. DEWSNIP, C. T. FOXON, L. C. JENKINS and S. E. HOOPER: Photoluminescence study of silicon-doped GaN grown by MBE on GaAs substrates 219

MICHIO SATO: Nitrogen radical densities during GaN growth by molecular beam epitaxy, plasma-assisted metalorganic chemical vapor deposition, and conventional metalorganic chemical vapor deposition 223

T. KATO, P. KUNG, A. SAXLER, C. J. SUN, H. OHSATO, M. RAZEGHI and T. OKUDA: Morphology of twinned GaN grown on (11·0) sapphire substrates 227

H. YAGUCHI, S. MIYOSHI, H. ARIMOTO, S. SAITO, H. AKIYAMA, K. ONABE, Y. SHIRAKI and R. ITO: Nitrogen concentration dependence of photoluminescence decay time in $GaP_{1-x}N_x$ alloys 231

SESSION H
LATE NEWS

K. H. PLOOG, O. BRANDT, H. YANG, J. MENNIGER and R. KLANN: Interplay between growth kinetics and material quality of cubic GaN 235

B. MONEMAR, J. P. BERGMAN, I. A. BUYANOVA, H. AMANO, I. AKASAKI, T. DETCHPROHM, K. HIRAMATSU and N. SAWAKI: The excitonic bandgap of GaN: dependence on substrate 239

R. D. UNDERWOOD, D. KAPOLNEK, B. P. KELLER, S. KELLER, S. P. DENBAARS and U. K. MISHRA: Selective-area regrowth of GaN field emission tips 243

JINWOOK BURM, W. J. SCHAFF, G. H. MARTIN, L. F. EASTMAN, H. AMANO and I. AKASAKI: Recessed gate GaN MODFETs 247

SPECIAL SESSION
PROSPECT OF NITRIDE LASERS

A. KURAMATA, K. HORINO, K. DOMEN and T. TANAHASHI: Properties of GaN epitaxial layer grown on (111) $MgAl_2O_4$ substrate 251

T. TANAKA, K. UCHIDA, S. KAWANAKA and S. MINAGAWA: Stimulated emission from rectangular GaN optical waveguides by photo-pumping and stripe design of optical waveguides formed with a selectively grown GaInN/GaN buried heterostructure 255

H. OKAZAKI, A. ARAKAWA, T. ASAHI, O. ODA and K. AIKI: GaN epitaxial growth on neodium gallate substrates 263

POSTER SESSION

SEIRO MIYOSHI and KENTARO ONABE: Semi-empirical tight-binding calculation of the electronic structure of $GaP_{1-x}N_x$ ($x = 0.25, 0.5, 0.75$) alloys 267

MASAKATSU SUZUKI and TAKESHI UENOYAMA: First-principles calculation of effective mass parameters of GaN 271

A. HOFFMANN, L. ECKEY, P. MAXIM, J.-CHR. HOLST, R. HEITZ, D. M. HOFMANN, D. KOVALEV, G. STEUDE, D. VOLM, B. K. MEYER, T. DETCHPROHM, K. HIRAMATSU, H. AMANO and I. AKASAKI: Dynamical study of the yellow luminescence band in GaN 275

BING ZHOU, K. S. A. BUTCHER, HELEN ZOU, XIN LI and T. L. TANSLEY: Photoconductive decay in LCVD/PECVD low temperature grown GaN 279

ICHIROU NOMURA, KATSUMI KISHINO and AKIHIKO KIKUCHI: Theoretical estimation of threshold current of cubic GaInN/GaN/AlGaN quantum well lasers 283

MOHAMMAD REZAUL HUQUE KHAN, HISASHI NAKAYAMA, THEERADETCH DETCHPROHM, KAZUMASA HIRAMATSU and NOBUHIKO SAWAKI: A study on barrier height of Au–$Al_xGa_{1-x}N$ Schottky diodes in the range $0 \leqslant x \leqslant 0.20$ 287

YAWARA KANEKO, NORIHIDE YAMADA, TETSUYA TAKEUCHI, YOSHIFUMI YAMAOKA, HIROSHI AMANO and ISAMU AKASAKI: Melt-back etching of GaN 295

KAZUTOSHI FUKUI, MASATAKE ICHIKAWA, AKIO YAMAMOTO and MASAO KAMADA: Photoemission and core absorption studies of indium nitride 299

K. S. A. BUTCHER, T. L. TANSLEY, XIN LI and BING ZHOU: Photolytic absorbate removal during the growth of aluminium nitride by remote microwave plasma chemical vapour deposition 305

O. BRIOT, J. P. ALEXIS, S. SANCHEZ, B. GIL and R. L. AULOMBARD: Influence of the V/III molar ratio on the structural and electronic properties of MOVPE grown GaN ... 315

HIROYUKI NAOI, YOSHIKI NAOI and SHIRO SAKAI: MOCVD growth of InAsN for infrared applications 319

M. SATO: Critical layer thickness of GaN thin layers embedded in GaAs 323

S. YOSHIDA and M. SASAKI: Cubic GaN formation using dimethylhydrazine and an etching method 327

H. TSUCHIYA, A. TAKEUCHI, A. MATSUO and F. HASEGAWA: Dependence of the HPVE GaN epilayer on GaN buffer layer for GaN direct growth on (001) GaAs substrate 333

K. R. EVANS, TING LEI and C. R. JONES: Gallium incorporation kinetics during gas-source molecular beam epitaxy growth of GaN 339

T. MAKIMOTO and N. KOBAYASHI: Formation and etching of thin nitride layers on GaAs using atomic nitrogen and hydrogen 345

D. J. SMITH, S.-C. Y. TSEN, B. N. SVERDLOV, G. MARTIN and H. MORKOÇ: Stacking mismatch boundaries in GaN: implications for substrate selection 349

J. M. ZAVADA, C. R. ABERNATHY, S. J. PEARTON, J. D. MACKENZIE, J. R. MILEHAM, R. G. WILSON, R. N. SCHWARTZ, M. HAGGEROTT-CRAWFORD, R. J. SHUL, S. P. KILCOYNE, D. ZHANG and R. M. KOLBAS: Microdisk laser structures formed in III–V nitride epilayers 353

Author Index I

NUMBER 3

Review Paper
STEVEN A. RINGEL: Hydrogen-extended defect interactions in heteroepitaxial InP materials and devices 359

KUN-WEI LIN, LIH-WEN LAIH and WEN-CHAU LIU: Investigation of InGaAs based pseudomorphic step-doped-channel field-effect transistor (SDCFET) 381

F. HERZEL, P. SCHLEY, B. HEINEMANN, U. ZILLMANN, D. KNOLL, D. TEMMLER and U. ERBEN: Experimental verification and numerical application of the thermodynamic approach to high-frequency noise in SiGe HBTs 387

SABURO TAKAMIYA, TAKUJI SONODA, MASAHIDE YAMANOUCHI, TAKASHI FUJIOKA and MASAKI KOHNO: Source-drain burnout mechanism of GaAs power MESFETs: three terminal effects 391

K. N. LEE, J. W. LEE, C. R. ABERNATHY, S. J. PEARTON, W. S. HOBSON and F. REN: Electrical and optical changes in AlGaAs and InGaP during dielectric etching in ECR SF_6 plasmas 401

D. REZNIK and W. GERLACH: Injection-level dependence of charge carrier mobility in high-injection plasma 405

S. KASCHIEVA: Effect of postoxidation cooling on the interface states introduced by ion implantation 413

S. R. D. KALINGAMUDALI, A. C. WISMAYER, R. C. WOODS and D. R. WIGHT: Perimeter and bulk recombination currents in GaAs homojunction diodes and GaAs/AlGaAs heterojunction bipolar transistors after surface processing 417

MASANOBU NOGOME, KAZUAKI KUNIHIRO and YASUO OHNO: Numerical simulation of drain lag in HJFETs on hole-trap substrates 423

L. S. KLINGBEIL and M. R. WILSON: Reactively sputtered aluminum nitride in GaAs processing 429

KUAN-YU FU and YUK L. TSANG: Punchthrough currents in sub-micron short channel MOS transistors 435

H. A. W. MARKUS, PH. ROCHE and T. G. M. KLEINPENNING: On the $1/f$ noise in polysilicon emitter bipolar transistors: coherence between base current noise and emitter series resistance noise 441

S. S. CHEN and J. B. KUO: An analytical CAD kink effect model of partially-depleted SOI NMOS devices operating in strong inversion 447

PIYAS SAMANTA and C. K. SARKAR: Analysis of positive charge trapping in silicon dioxide of MOS capacitors during Fowler–Nordheim stress 459

VAHID AHMADI, SUSUMU NODA and AKIO SASAKI: Analysis for relative intensity noise of optoelectronic integrated device by heterojunction phototransistor and laser diode 465

HIDEYUKI IWATA and TAKASHI OHZONE: Numerical analysis of temperature dependence of very-short-pulse-induced dynamic latchup in CMOS 473

B. A. BOBYLEV, T. E. KOVALEVSKAJA, I. V. MARCHISHIN and V. N. OVSYUK: Capacitance–voltage profiling of multiquantum well structures 481

Notes

MA ZHONGQUAN and H. NARAMOTO: Homoepitaxial layer from ion-implanted diamond 487

R. CHEUNG, W. PATRICK and P. SUTTER: Effects of CH_4/H_2 reactive ion etching on the scattering times of InP heterostructures 493

S. CHATTERJEE, K. N. BHAT and P. R. S. RAO: The effect of a cap layer on the diffusion of zinc from doped silica films in gallium arsenide 496

DER-FENG GUO: Characteristics of a triple-well heterostructure-emitter bipolar transistor (TWHEBT) 501

KAI CHEN, GEORGE ZHANG, JON DUSTER, CHENMING HU, JIANHUI HUANG, ZHIHONG LIU and PING K. KO: MOSFET inversion layer capacitance model based on Fermi–Dirac statistics for wide temperature range 507

N. C. DAS: Effects of irradiation on hot carrier induced interface states in n-MOSFETs 510

DONGSHENG HSU: Effects of the series resistance on Fowler–Nordheim tunneling oscillations 513

NUMBER 4

A. KOUKAB and A. BATH: Procedure to minimize interface-state errors in MIS doping profile determinations 515

T. DOUSEKI, M. HARADA and T. TSUCHIYA: Ultra-low-voltage MTCMOS/SIMOX technology hardened to temperature variation 519

V. A. POSSE and B. JALALI: Novel transient phenomena in heterojunction bipolar transistors 527

C. B. VARTULI, S. J. PEARTON, C. R. ABERNATHY, J. D. MACKENZIE, M. L. LOVEJOY, R. J. SHUL, J. C. ZOLPER, A. G. BACA, M. HAGEROTT-CRAWFORD, K. A. JONES and F. REN: Conduction mechanisms in W and WSi_x ohmic contacts to InGaN and InN ... 531

S.-M. CHEN, R. M. GWILLIAM and B. J. SEALY: MOS device fabrication via plasma immersion ion implantation 535

P. GOTTWALD, H. KRÄUTLE, B. SZENTPÁLI, Zs. KINCSES and H. L. HARTNAGEL: Damage characterisation of InP after reactive ion etching using the low-frequency noise measurement technique 539

D. POGANY and G. GUILLOT: Normal and anomalous behaviour of the RTS noise amplitude in forward biased InGaAs/InP photodiodes 547

R. K. HAYDEN and R. C. WOODS: Static model of single heterojunction acoustic charge transfer structures 553

S. SRIDHAR and B. J. BALIGA: Current saturation mechanism and FBSOA of the SIMEST 561

JIN-YANG KIM, YOUNG-JUNE PARK and HONG-SHICK MIN: Electrical properties of SOI *n*-MOSFETs under nonisothermal lattice temperature 567

O. K. B. LUI and P. MIGLIORATO: A new generation–recombination model for device simulation including the Poole–Frenkel effect and phonon-assisted tunnelling 575

L. DÓZSA: Space charge transients of deep level defects characterised by Auger capture 585

A. SALNICK, C. JEAN and A. MANDELIS: Noncontacting photothermal radiometry of SiO_2/Si MOS capacitor structures 591

A. PACELLI and U. RAVAIOLI: Analysis of variance-reduction schemes for ensemble Monte Carlo simulation of semiconductor devices 599

TSUN-LAI HSU and JENG GONG: Frequency- and voltage-dependent degradation of polyemitter BJTs under a.c. stress 607

M. K. MAZUMDER, K. KOBAYASHI, T. OGATA, J.-I. MITSUHASHI, Y. MASHIKO, S. KAWAZU, M. SEKINE, H. KOYAMA and A. YASUOKA: Nitride thickness dependence of trap generation and negative stress-induced current in oxidized nitride films (< 5 nm) 613

K. X. ZHANG and C. M. OSBURN: The impact of *in-situ* rapid thermal gate dielectric processes on deep submicron MOSFETs 619

L. COLALONGO, M. VALDINOCI, G. BACCARANI, P. MIGLIORATO, G. TALLARIDA and C. REITA: Numerical analysis of poly-TFTs under off conditions 627

A. KOUKAB, A. BATH and E. LOSSON: An improved high frequency C–V method for interface state analysis on MIS structures 635

Notes

M. HONG, M. PASSLACK, J. P. MANNAERTS, T. D. HARRIS, M. L. SCHNOES, R. L. OPILA and H. W. KRAUTTER: A Ga_2O_3 passivation technique compatible with GaAs device processing 643

F. AGAHI, A. BALIGA, KEI MAY LAU and N. G. ANDERSON: Dependence of polarization mode and threshold current on tensile strain in AlGaAs/GaAsP quantum well lasers 647

JONG-SHIK KIM, KWANG-SEOK SEO and HOI-JUN YOO: An analytical model for the effect of graded gate oxide on the channel electric field in MOSFETs with lightly doped drain structure 650

A. A. CIUBOTARU and R. L. CARTER: An accurate mathematical model for the intrinsic base resistance of bipolar transistors..... 655

E. SIMOEN and C. CLAEYS: Impact of the series resistance on the parameter extraction of submicron silicon metal-oxide-semiconductor transistors operated at 77 K 659

NUMBER 5

P. J. L. HERVÉ, L. K. J. VANDAMME and L. REN: Low-frequency noise in a hybrid photomultiplier tube..... 663

G. HANINGTON and P. M. ASBECK: Base resistance measurements in HBTs using base-emitter reverse bias breakdown..... 669

J. R. LOTHIAN, F. REN, J. M. KUO, J. S. WEINER and Y. K. CHEN: Pt/Ti/Pt/Au Schottky contacts on InGaP/GaAs HEMTs 673

J. M. ZAVADA, R. G. WILSON, F. REN, S. J. PEARTON and R. F. DAVIS: Hydrogen incorporation and its temperature stability in SiC crystals..... 677

J. HONG, J. W. LEE, C. B. VARTULI, J. D. MACKENZIE, S. M. DONOVAN, C. R. ABERNATHY, R. V. CROCKETT, S. J. PEARTON, J. C. ZOLPER and F. REN: High temperature annealing of GaN, InN, AlN and related alloys..... 681

M. K. LEE, H. D. WANG and J. J. WANG: A Cu seed layer for Cu deposition on silicon 695

A. Y. POLYAKOV, M. SHIN, M. SKOWRONSKI, R. G. WILSON, D. W. GREVE and S. J. PEARTON: Ion implantation of Si, Mg and C into $Al_{0.12}Ga_{0.88}N$ 703

H. S. MOMOSE, M. ONO, T. YOSHITOMI, T. OHGURO, S.-I. NAKAMURA, M. SAITO and H. IWAI: Prospects for low-power, high-speed MPUs using 1.5 nm direct-tunneling gate oxide MOSFETs 707

M. PEJOVIĆ and G. RISTIĆ: Creation and passivation of interface traps in irradiated MOS transistors during annealing at different temperatures 715

C. PESCHKE: Parameter extraction for moment equations in GaAs from Monte-Carlo calculations 721

M. DEPAS, T. NIGAM and M. M. HEYNS: Definition of dielectric breakdown for ultra thin (< 2 nm) gate oxides 725

Y. FU, C. J. PATEL and M. WILLANDER: Quantum mechanical description of *p*-type $Si/Si_{1-x}Ge_x$ quantum well MOSFET in silicon-on-insulator technology..... 729

R. SUNKAVALLI and B. JAYANT BALIGA: Analysis of on-state carrier distribution in the DI-LIGBT..... 733

M. VELLVEHI, P. GODIGNON, D. FLORES, J. FERNÁNDEZ, S. HIDALGO, J. REBOLLO and J. MILLÁN: A new lateral IGBT for high temperature operation..... 739

M. K. MAZUMDER, K. KOBAYASHI, T. OGATA, J.-I. MITSUHASHI, Y. MASHIKO, S. KAWAZU, M. SEKINE, H. KOYAMA and A. YASUOKA: Improved reliability of wet oxidized nitride MOS capacitors in comparison to RTB N_2O oxidized nitride films 749

YEN-ANN CHEN, BU-FANG CHEN, WEN-CHIN TSAY, LI-HONG LAIH, MAO-NAN CHANG, JEN-INN CHYI, JYH-WONG HONG and CHUN-YEN CHANG: Porous silicon light-emitting diode with tunable color 757

M. PERŠUN, B. PEJČINOVIĆ and S. ZHOU: Design of Si and SiGe *p*-channel SOI MOSFET 761

Notes

A. TRELLAKIS, A. J. GALICK and U. RAVAIOLI: Rational Chebyshev approximation for the Fermi–Dirac integral $\mathscr{F}_{-3/2}(x)$ 771

KUAN-YU FU: Partial breakdown of the tunnel oxide in floating gate devices 774

MD. ROFIQUL HASSAN, J. J. LIOU, A. ORTIZ-CONDE, F. J. GARCÍA-SÁNCHEZ and E. GOUVEIA FERNANDES: Drain and source resistances of short-channel LDD MOSFETs 778

WEIHONG ZHANG, C. ANDRE and T. SALAMA: Subthreshold MESFET empirical model 781

S. A. KOSTYLEV, E. F. PROKHOROV, N. B. GOREV and I. F. KODZHESPIROVA: Peculiarities of high-frequency C–V measurements in *n*-type GaAs thin-film structures . 784

DAE-SEOK BYEON, MIN-KOO HAN and YEARN-IK CHOI: The breakdown voltage of negative curvatured p^+n diodes using a SOI layer 787

M. B. PATIL: New approach to two-dimensional semiconductor device simulation on curvilinear grids 789

SHAU-SHEN LIU, MAN-CHUN HU and SHENG-LYANG JANG: An analytical, physics-based linear current–voltage model for hot-carrier damaged LDD *n*MOSFETs 793

A. B. MAITY, J. SARMA, C. K. SARKAR and C. CHAKRABORTY: Consistent calculations of multi-quantum well semiconductor optical wave guide modes including the effects of size-quantization and 2D-excitons on the refractive index 798

S. ARULKUMARAN, J. AROKIARAJ, N. DHARMARASU, J. KUMAR, P. MAGUDAPATHY and K. G. M. NAIR: Current–voltage characteristics of low energy proton and alpha particle irradiated Au and Ag/n-GaAs Schottky barrier diodes 802

NUMBER 6

T. MAEDA: Analysis of the operating-speed and power consumption of GaAs DCFL D-type flip-flops 807

A. M. MINARSKY and P. B. RODIN: Transverse instability and inhomogeneous dynamics of superfast impact ionization waves in diode structures 813

M. H. JUANG: Variation of contact characteristics for metal to p^+ junctions using TiN as diffusion barrier 825

J. W. LEE, C. R. ABERNATHY, S. J. PEARTON, F. REN, R. J. SHUL, C. CONSTANTINE and C. BARRETT: Effects of H_2 plasma exposure on GaAs/AlGaAs heterojunction bipolar transistors 829

G. A. ARMSTRONG, J. R. AYRES and S. D. BROTHERTON: Numerical simulation of transient emissions from deep level traps in polysilicon thin film transistors 835

X. L. HUANG, Y. G. SHIN, K. Y. LIM, E.-K. SUH, H. J. LEE and S. C. SHEN: Thermally induced capacitance and electric field domains in GaAs/$Al_{0.3}Ga_{0.7}As$ quantum well infrared photodetector 845

M. NAWAZ and G. U. JENSEN: The role of acceptor density in GaAs/AlGaAs based quantum well HEMTs 851

C. MEVA'A, X. LETARTRE, P. ROJO-ROMEO and P. VIKTOROVITCH: Low temperature MBE grown AlInAs: investigation of current voltage and low frequency noise behaviour of Schottky diodes 857

W.-R. LIOU: High-frequency simulation of nonlinear properties of a double-barrier device, using parallel computing 865

L. L. LIOU, T. JENKINS and C. I. HUANG: DC power limitation of the heterojunction bipolar transistor with dot geometry: effect of base potential distribution on thermal runaway 871

G. F. FORMICONE, D. VASILESKA and D. K. FERRY: Transport in the surface channel of strained Si on a relaxed $Si_{1-x}Ge_x$ substrate 879

T. MATSUDA, M. NISHIO, T. OHZONE and T. HORI: Electroluminescence of MOS capacitors with Si-implanted SiO_2 887

Z. CELIK-BUTLER, P. C. SHAN, D. P. BUTLER, A. JAHANZEB, C. M. TRAVERS, W. KULA and R. SOBOLEWSKI: Charge transport in amorphous and tetragonal semiconducting YBaCuO films 895

L. K. VANDAMME, E. P. VANDAMME and J. J. DOBBELSTEEN: Impact of silicon substrate iron contamination and perimeter on saturation current and noise in n^+p diodes 901

Notes

A. V. N. TILAK and K. N. BHAT: Effect of poly thickness and substrate doping on the electrical characteristics of polyemitter n^+–p junctions 909

P. MA, L. ZHANG and Y. WANG: Analytical model for high injection in Si/SiGe heterojunction bipolar transistors (HBT) 913

LI BAOJUN, ZHANG FUJIA and LIU ENKE: Pd/Zn/Pd ohmic contacts to p-type GaP 917

CHONGMU LEE and SU CHEON LEE: Effects of plasma treatments on the erosion of TEOS-BPSG films by chemical etchants 921

B. ABAY, Y. ONGANER, M. SAĞLAM, H. EFEOĞLU, A. TÜRÜT and Y. K. YOĞURTÇU: Characteristics of metallic polymer and Au Schottky contacts on cleaved surfaces of InSe(:Er) 924

NUMBER 7

7th ESPRIT Workshop: Dielectrics in Microelectronics

H. Z. MASSOUD: Thermal oxidation of silicon in the ultrathin regime 929

A. SCARPA, A. PACCAGNELLA, G. GHIDINI, A. VIANELLO and E. ZANONI: Instability of post-Fowler–Nordheim stress measurements of MOS devices 935

E. BÄR and J. LORENZ: The PROMPT project and its application to the three-dimensional simulation of low-pressure chemical vapor deposition processes 939

A. AASSIME, G. J. SARRABAYROUSE, G. SALACE and C. PETIT: Irradiation effects on the high field behaviour of very thin silica layers 945

P. TEMPLE BOYER, F. OLIVIE, K. KASSMI, E. SCHEID, G. SARRABAYROUSE and A. MARTINEZ: Electrical characteristics of thin silica layers nitrided by LPCVD nitrogen doped silicon 951

D. J. DIMARIA: Defect production, degradation, and breakdown of silicon dioxide films 957

M. J. M. PELGROM and M. VERTREGT: CMOS technology for mixed signal ICs 967

G. GHIDINI, M. TOSI and C. CLEMENTI: Feasibility of steam tunnel oxide for advanced non volatile memories 975

O. BRIÈRE, A. HALIMAOUI and G. GHIBAUDO: Breakdown characteristics of ultra thin gate oxides following field and temperature stresses 981

O. BRIÈRE, K. BARLA, A. HALIMAOUI and G. GHIBAUDO: Oscillatory behavior of the tunneling current in ultra thin gate dielectrics: influence of various physical and technological parameters 987

P. FRIEDRICHS, E. P. BURTE and R. SCHÖRNER: Interface properties of MOS structures on *n*-type 6H-SiC 991

T. BROŻEK, E. C. Szyper and C. R. VISWANATHAN: Polarity dependence of cumulative properties of charge-to-breakdown in very thin gate oxides 995

E. VINCENT, C. PAPADAS and G. GHIBAUDO: Temperature dependence of charge build-up mechanisms and breakdown phenomena in thin oxides under Fowler–Nordheim injection 1001

YOSHIO HOMMA, TAKESHI FURUSAWA, HIROYUKI MORISHIMA and HIDETADA SATO: Low permittivity dielectrics and global planarization for quarter-micron multilevel interconnections 1005

A. MARTIN, P. O'SULLIVAN, A. MATHEWSON, J. S. SUEHLE and P. CHAPARALA: Investigation of the influence of ramped voltage stress on intrinsic t_{bd} of MOS gate oxides 1013

E. P. BURTE and W. ADERHOLD: The impact of iron, copper, and calcium contamination of silicon surfaces on the yield of a MOS DRAM test process 1021

S. DELEONIBUS: Is there LOCOS after LOCOS? 1027

R. KIES, G. GHIBAUDO, G. PANANAKAKIS and G. REIMBOLD: Temperature dependence of transport and trapping properties of oxide–nitride–oxide dielectric films 1041

P. MORFOULI, G. GHIBAUDO, E. M. VOGEL, W. L. HILL, V. MISRA, P. K. MCLARTY and J. J. WORTMAN: Electrical and reliability properties of thin silicon oxinitrite dielectrics formed by low pressure rapid thermal chemical vapor deposition 1051

A. J. BAUER, E. P. BURTE and H. RYSSEL: Characterization of ultrathin ON stacked layers consisting of thermally grown bottom oxide and deposited silicon nitride 1057

NUMBER 8

G. K. REEVES and H. B. HARRISON: Using TLM principles to determine MOSFET contact and parasitic resistance 1067

P. ARIFIN, T. L. TANSLEY and E. M. GOLDYS: Conduction mechanism in a metal–insulator–semiconductor structure with a low temperature GaAs insulating layer 1075

T. G. KIM, E. K. KIM, S.-K. MIN and J.-H. PARK: V-Grooved GaAs/AlGaAs quantum wire laser array confined by junction-isolation stripes 1079

M. SETO, M. MABESOONE, S. DE JAGER, A. VERMEULEN, W. DE BOER, M. THEUNISSEN and H. TUINHOUT: Performance dependence of large-area silicon *p-i-n* photodetectors upon epitaxial thickness 1083

J.-H. TSAI, S.-Y. CHENG, P.-H. LIN, W.-C. WANG, J.-Y. CHEN and W.-C. LIU: Modeling and analysis of heterostructure-emitter and heterostructure-base transistors (HEHBTs) 1089

K. SUZUKI, H. YAMAWAKI and Y. TADA: Boron out diffusion from Si substrates in various ambients 1095

K. MISIAKOS, D. TSAMAKIS and E. TSOI: Measurement and modeling of the anomalous dynamic response of high resistivity diodes at cryogenic temperatures 1099

D. BEHAMMER, K. WIECZOREK, J. N. ALBERS, S. FRIEDRICH, H.-U. SCHREIBER and B. G. BOSCH: Base contact resistance limits to lateral scaling of fully self-aligned double mesa SiGe-HBTs 1105

F. UDREA and G. A. J. AMARATUNGA: An on-state analytical model for the trench insulated gate bipolar transistor (TIGBT) 1111

D. SINITSKY, F. ASSADERAGHI, M. ORSHANSKY, J. BOKOR and C. HU: Velocity overshoot of electrons and holes in Si inversion layers 1119

M. M. JEVTIĆ and M. V. LAZOVIĆ: Self consistent fitting method for defect analysis by low-frequency noise measurements in reverse biased *p–n* junctions 1127

S. SRIDHAR and B. J. BALIGA: Output characteristics of the dual channel EST 1133

CH. KÖPF, H. KOSINA and S. SELBERHERR: Physical models for strained and relaxed GaInAs alloys: band structure and low-field transport 1139

N. RINALDI: Analytical relations for the base transit time and collector current in BJTs and HBTs 1153

A. MESQUIDA KÜSTERS and K. HEIME: Al-free InP-based high electron mobility transistors: design, fabrication and performance 1159

C. L. LOU, W. K. CHIM, D. S. H. CHAN and Y. PAN: Hot-carrier reliability of non-degenerately doped tungsten polycide gate buried-channel *p*-MOSFETs 1171

D. BARDÉS and R. ALCUBILLA: Analytical modelling of BJT neutral base region under variable injection conditions 1177

J. C. CAO and X. L. LEI: Nonparabolic multivalley balance-equation approach to high-field electron transport in GaAs 1181

A. DARGYS and J. KUNDROTAS: Donor avalanche breakdown field in n-GaAs: effect of concentration and lattice temperature 1185

Y.-S. CHANG, S. S. LI, R. DATTA and L. P. ALLEN: Correlation of implantation defects with interface recombination velocities and carrier lifetimes in annealed SIMOX SOI materials by using a contactless optical modulation technique 1189

Notes

MD. R. HASSAN, J. J. LIOU and A. ORTIZ-CONDE: Gate-oxide thickness dependence of LDD MOSFET parameters 1199

P. NUBILE, P. TORRES, C. HOF and D. FISCHER: Analysis of the inner collection efficiency in hybrid silicon solar cells 1202

NUMBER 9

Review Paper

G. LI and C. JAGADISH: Recent progress in δ-doping of III–V semiconductors grown by metal organic vapour phase epitaxy 1207

Y. CHENG, T. SUGII, K. CHEN and C. HU: Modeling of small size MOSFETs with reverse short channel and narrow width effects for circuit simulation 1227

B. ZHANG and A. Q. HUANG: A new MOS gate thyristor—the single-gate emitter controlled thyristor (SECT) 1233

M. ANTONIO PAVANELLO, J. ANTONIO MARTINO and J.-P. COLINGE: Analytical modeling of the substrate influences on accumulation-mode SOI *p*MOSFETs at room temperature and at liquid nitrogen temperature 1241

W. Y. HO and C. SURYA: Study of $1/f$ noise in hydrogenated amorphous silicon thin films 1247

M. J. LAZARUS and R. W. PRICE: Pulsed optical switching of junction phototransistors 1251

J. R. ELMIGER and M. KUNST: Transition from minority to ambipolar transport in crystalline silicon at high temperatures 1257

J. H. NING, J. S. YUAN and J. SONG: Effects of base and emitter doping gradients on the electrical performance of heterojunction bipolar transistors 1263

X. Y. CHEN, F. N. HOOGE and M. R. LEYS: The temperature dependence of $1/f$ noise in InP 1269

J. M. LÓPEZ-GONZÁLEZ, P. GARCIAS-SALVÀ and L. PRAT: Analytical model for abrupt HBTs with application to InP/InGaAs type 1277

N. SELIGER, P. HABAŠ, D. POGANY and E. GORNIK: Time-resolved analysis of self-heating in power VDMOSFETs using backside laserprobing 1285

A. BRAVAIX and D. VUILLAUME: Analysis of the hot-carrier degradation of deep-submicrometer large-angle-tilt-implanted drain (LATID) MOSFETs 1293

T. QUACH, T. JENKINS, J. BARRETTE, C. BOZADA, C. CERNY, G. DESALVO, R. DETTMER, J. EBEL, J. GILLESPIE, C. HAVASY, C. ITO, K. NAKANO, C. PETTIFORD, J. SEWWLL, D. VIA and R. ANHOLT: Emitter utilization in heterojunction bipolar transistors 1303

D. MURRAY, J. J. SANCHEZ and T. A. DEMASSA: A non-quasistatic semi-empirical model for small geometry MOSFETs 1309

O. WOYWODE and B. PEJČINOVIĆ: Nonlinear second order current cancellation in HBTs 1321

M.-D. KER and T.-S. WU: Latchup-free fully-protected ESD protection circuit for input pad of submicron CMOS ICs 1329

K. L. LEW, T. K. CHIANG, Y. H. WANG and M. P. HOUNG: A model for heterostructure-emitter bipolar transistors 1337

C. BULUCEA and D. KERR: Threshold voltage control in buried-channel MOSFETs 1345

A. B. ARAB: Modeling of the recombination at grain boundaries in preferentially doped polysilicon solar cells 1355

M. VALDINOCI, L. COLALONGO, G. BACCARANI, A. PECORA, I. POLICICCHIO, G. FORTUNATO, F. PLAIS, P. LEGAGNEUX, C. REITA and D. PRIBAT: Analysis of electrical characteristics of polycrystalline silicon thin-film transistors under static and dynamic conditions 1363

Notes

M. J. SHERONY, A. J. CHEN, K. R. MISTRY and D. A. ANTONIADIS: Reduced plasma-induced charging damage in SOI MOSFETs 1371

V. A. KALININ and L. SDYMAR: Excitation of space charge waves in piezoelectric photorefractive crystals by two counter-propagating acoustic waves 1374

G. F. NIU, R. M. M. CHEN, G. RUAN and T. A. TANG: Definition of effective channel length (L_{eff}) in deep submicron MOSFETs based on numerically simulated surface potential 1377

C. BOSE, C. CHAKRABORTY and C. K. SARKAR: Electric field induced shifts of electronic energy levels in spherical quantum dot 1383

M. K. KHANNA, C. THOMAS, MANEESHA, R. S. GUPTA and S. HALDAR: An analytical model for anomalous threshold voltage behavior of short channel MOSFETs 1386

NUMBER 10

PROCEEDINGS OF THE TOPICAL WORKSHOP ON HETEROSTRUCTURE MICROLECTRONICS

Foreword vii

Committee viii

APPLICATIONS OF HETEROSTRUCTURE DEVICES I

A. SCAVENNEC and R. LEFÈVRE: III–V heterostructure microelectronics for electronic and optoelectronic systems in Europe 1389

J. SITCH: HBTs in telecommunications 1397

APPLICATIONS OF HETEROSTRUCTURE DEVICES II

M. BERROTH, V. HURM, M. LANG, Z. LAO, A. THIEDE, Z.-G. WANG, A. BANGERT, W. BRONNER, A. HÜLSMANN, G. KAUFEL, K. KÖHLER, B. RAYNOR and T. JAKOBUS: HEMT circuits for signal-data processing 1407

S. CHANDRASEKHAR: Optoelectronic system integration using InP-based HBTs for lightwave communications 1413

R. YU, S. BECCUE, M. F. CHANG, K. NARY, R. NUBLING, K. PEDROTTI, R PIERSON, K. RUNGE, N. H. SHENG, P. THOMAS, P. ZAMPARDI and K. C. WANG: HBT devices and circuits for signal and data processing 1419

J. K. ABROKWAH, B. BERNHARDT and M. LAMACCHIA: Complementary GaAs (CGaAs^{TM}): new enhancements 1433

MANUFACTURABILITY AND RELIABILITY I

H. HASEGAWA: Interface-controlled Schottky barriers on InP and related materials 1441

M. HIRANO, K. NISHIKAWA, I. TOYODA, S. AOYAMA, S. SUGITANI and K. YAMASAKI: Three-dimensional interconnect technology for ultra-compact MMICs 1451

T. KIMURA, R. SHIGEMASA and T. OHSHIMA: Electron irradiation during Schottky gate metal evaporation and its effect on the stability of InGaAs/AlGaAs HEMTs 1457

K. IIZUKA, T. HASHIZUME and H. HASEGAWA: Small-signal response of interface states at passivated InGaAs surfaces from low frequencies up to microwave frequencies 1463

T. MIZUTANI, K. MAEZAWA, J.-I. NOZAKI, M. ARAKAWA and S. KISHIMOTO: A highly mismatched $In_xGa_{1-x}As$/AlGaAs ($0 \leqq x \leqq 0.5$) pseudomorphic HEMT on GaAs substrate using an $In_{x/2}Ga_{1-x/2}As$ buffer layer 1469

D. INOUE, S. MATSUSHITA, K. MATSUMURA, M. SAWADA, K. YODOSHI and Y. HARADA: Influence of rapid thermal annealing on modulation doped structures 1475

M. KOMARU, K. YAJIMA, H. SASAKI, T. KATOH, T. KASHIWA, T. ASANO, T. TAKAGI, Y. MITSU, K. MATSUZAKI, N. NEMOTO, E. NAKAMURA, T. AKUTSU and S. MATSUDA: Gamma dose effect on low noise AlGaAs/InGaAs PHEMT at millimeter-wave frequency 1481

Si/SiGe TECHNOLOGY

H. SCHUMACHER, U. ERBEN and W. DÜRR: SiGe heterojunction bipolar transistors—the noise perspective 1485

D. TERPSTRA, W. B. DE BOER and J. W. SLOTBOOM: High-performance Si–SiGe HBTs SiGe-technology development in Esprit Project 8001 TIBIA: An overview 1493

D. A. SUNDERLAND, D. C. AHLGREN, M. M. GILBERT, S.-J. JENG, J. C. MALINOWSKI, D. NGUYEN-NGOC, K. T. SCHONENBERG, K. J. STEIN, B. S. MEYERSON and D. L. HARAME: Manufacturability and applications of SiGe HBT technology 1503

D. J. PAUL, J. M. RYAN, P. V. KELLY, G. M. CREAN, J. M. FERNÁNDEZ, M. PEPPER, A. N. BROERS and B. A. JOYCE: Investigations of electron-beam and optical induced damage in high mobility SiGe heterostructures 1509

NOVEL DEVICES AND TECHNOLOGIES

G. I. HADDAD and P. MAZUMDER: Tunneling devices and applications in high functionality/speed digital circuits 1515

R. KOIZUMI, T. SAITOH and K. YOH: Fabrication of p^+-gate InAs-channel HEMT based on InP 1525

F. SCHUERMEYER: Characterization of fully fabricated PHEMTs using photoelectric techniques 1529

J. HERFORT and Y. HIRAYAMA: High density and high mobility transport characteristics in gated undoped GaAs/$Al_xGa_{1-x}As$ heterostructures 1535

U. KÖNIG, M. GLÜCK, A. GRUHLE, G. HÖCK, E. KOHN, B. BOZON, D. NEURNBERGK, T. OSTERMANN and R. HAGELAUER: Design rules for *n*-type SiGe hetero FETs 1541

WIDE BAND-GAP DEVICES

S. C. BINARI, W. KRUPPA, H. B. DIETRICH, G. KELNER, A. E. WICKENDEN and J. A. FREITAS JR: Fabrication and characterization of GaN FETs 1549

M. A. KHAN, Q. CHEN, M. S. SHUR, B. T. DERMOTT, J. A. HIGGINS, J. BURM, W. J. SCHAFF and L. F. EASTMAN: GaN based heterostructure for high power devices.. 1555

R. J. TREW, M. W. SHIN and V. GATTO: High power applications for GaN-based devices 1561

Y.-F. WU, B. P. KELLER, S. KELLER, D. KAPOLNEK, P. KOZODOY, S. P. DENBAARS and U. K. MISHRA: High power AlGaN/GaN HEMTs for microwave applications 1569

POWER DEVICE TECHNOLOGIES I

S. ARAI and H. TOKUDA: Millimeter-wave power HEMTs 1575

K. Y. HUR, R. A. MCTAGGART, P. J. LEMONIAS and W. E. HOKE: Development of double recessed AlInAs/GaInAs/InP HEMTs for millimeter wave power applications... 1581

N. IWATA, K. YAMAGUCHI and M. KUZUHARA: Double-doped power heterojunction FET for 1.5 V digital cellular applications 1587

H. FURUKAWA, T. TANAKA, H. TAKENAKA, T. UEDA, T. FUKUI and D. UEDA: High power-added efficiency and low distortion GaAs power FET employing spike-gate structure 1599

MANUFACTURABILITY AND RELIABILITY II

M. HAFIZI: HBT IC manufacturability and reliability 1591

O. UEDA, A. KAWANO, T. TAKAHASHI, T. TOMIOKA, T. FUJII and S. SASA: Current status of reliability of InGaP/GaAs HBTs 1605

T. OKA, K. OUCHI, K. MOCHIZUKI and T. NAKAMURA: High speed InGaP/GaAs HBTs with f_{max} of 159 GHz 1611

M. YANAGIHARA, H. SAKAI, Y. OTA and A. TAMURA: High f_{max} AlGaAs/GaAs HBT with L-shaped base electrode and its application to 50 GHz amplifier 1615

MANUFACTURABILITY AND RELIABILITY III

T. SONODA, Y. YAMAMOTO, N. HAYAFUJI, H. YOSHIDA, H. SASAKI, T. KITANO, S. TAKAMIYA and M. OSTUBO: Manufacturability and reliability of InP HEMTs 1621

D. P. DOCTER, J. J. BROWN, M. HU, M. MATLOUBIAN, J. SPECK X. WU and D. E. GRIDER: $In_zAl_{1-z}As/In_yGa_{1-y}As$ lattice constant engineered HEMTs on GaAs 1629

D. PAVLIDIS, E. ALEKSEEV, K. HONG and D. CUI: InP-Based millimeter-wave PIN diodes for switching and phase-shifting applications 1635

S. SUZUKI, Y. DOHMAE and H. HASEGAWA: Fabrication and electrical characterization of InP-based insulated gate power HEMTs using ultrathin Si interface control layer 1641

M. NIHEI, N. HARA, H. SUEHIRO and S. KURODA: 0.065 μm Gate InGaP/InGaAs pseudomorphic HEMTs with highly-doped 11.5 nm thick InGaP electron supply layers 1647

T. ENOKI, H. ITO and Y. ISHII: Reliability study on InAlAs/InGaAs HEMTs with an InP recess-etch stopper and refractory gate metal 1651

POWER DEVICE TECHNOLOGIES II

B. BAYRAKTAROGLU: HBT power devices and circuits 1657

C. BOZADA, C. CERNY, G. DE SALVO, R. DETTMER, J. EBEL, J. GILLESPIE, C. HAVASY, T. JENKINS, C. ITO, K. NAKANO, C. PETTIFORD, T. QUACH, J. SEWELL, G. D. VIA and R. ANHOLT: Thermal management of microwave power heterojunction bipolar transistors 1667

Y. OTA, S. YAMAMOTO, T. YOKOYAMA, H. MASATO, M. NISHITSUJI, M. YANAGIHARA and K. INOUE: Self-aligned emitted power HBT and self-aligned gate power HFET for low/unity supply voltage operation in PHS handsets 1675

T. LIU, M. CHEN, C. NGUYEN and R. VIRK: InP-Based DHBT with 90% power-added efficiency and 1 W output power at 2 GHz 1681

NUMBER 11

TADASHI MAEDA and MASAHIRO FUJII: Analytical expression for operating speed of GaAs SCFL D-type flip-flops 1687

LI-HONG LAIH, JYH-CHENG WANG, YEN-ANN CHEN, TEAN-SEN JEN, WEN-CHIN TSAY and JYH-WONG HONG: Characteristics of Si-based MSM photodetectors with an amorphous-crystalline heterojunction 1693

F. VAN DE WIELE: Modified Boltzmann boundary conditions in junction theory 1699

SHIOU-YING CHENG, WEN-CHAU Liu and WEI LIN: Investigation of an AlInAs/GaInAs long-peroid-superlattice resonant-tunneling transistor 1707

CHING-TING LEE, MOU-HSIEN LAN and CHANG-DA TSAI: Improved performances of InGaP Schottky contact with Ti/Pt/Au metals and MSM photodetectors by $(NH_4)_2S_x$ treatment 1715

M. H. JUANG: A scheme for process simplification by using large-angle-tilt boron implantation through oxide spacer 1721

J. CROFTON, L. BEYER, J. R. WILLIAMS, E. D. LUCKOWSKI, S. E. MOHNEY and J. M. DELUCCA: Titanium and aluminum-titanium ohmic contacts to *p*-type SiC 1725

DER-FENG GUO: A multistate switch based on the carrier tunneling and confinement effects of barrier 1731

R. ANHOLT: Physical compact collector–emitter breakdown model for heterojunction bipolar transistors 1735

R. ANHOLT, C. BOZADA, G. DESALVO, R. DETTMER, J. EBEL, J. GILLESPIE, T. JENKINS, C. HAVASY, C. ITO, K. NAKANO, C. PETTIFORD, T. QUACH, J. SEWELL and D. VIA: Base and collector resistances in heterojunction bipolar transistors 1739

A. U. EBONG and S. H. LEE: Overcoming the fill factor limit of double sided buried contact silicon solar cells 1745

F. REN, M. HONG, W. S. HOBSON, J. M. KUO, J. R. LOTHIAN, J. P. MANNAERTS, J. KWO, S. N. G. CHU, Y. K. CHEN and A. Y. CHO: Demonstration of enhancement-mode *p*- and *n*-channel GaAs MOSFETSs with $Ga_2O_3(Gd_2O_3)$ As gate oxide 1751

R. SCHIECK and M. KUNST: Frequency modulated microwave photoconductivity measurements for characterization of silicon wafers 1755

V. A. VASHCHENKO, Y. B. MARTYNOV and V. F. SINKEVITCH: Electrical instability and filamentation in ggMOS protection structures 1761

S. H. RENN, J. L. PELLOIE and F. BALESTRA: Hot-carrier effects in deep submicron SOI MOSFETs 1769

H. SUMIDA and A. HIRABAYASHI: Substrate bias effect on blocking capability of a lateral P-channel MOSFET on SOI 1773

J. C. CAO and X. L. LEI: Simulation of an $Al_xGa_{1-x}As$ ballistic diode using multivalley nonparabolic hydrodynamic balance equations 1781

C. ALGORA and V. DÍAZ: Performance and optimization of monochromatic *p*/*n* heteroface AlGaAs/GaAs photovoltaic cells 1787

D. CHANG and J. G. FOSSUM: Simplified energy-balance model for pragmatic multi-dimensional device simulation 1795

J. PAISANA and H. ABREU SANTOS: Applications of bifurcation theory to thyristor turn-on and turn-off 1803

A. NEMIROVSKY and A. RON: A revised model for carrier trapping-detrapping 1/*f* noise 1811

Notes

R. F. KARLICEK JR., L. TRAN, M. SCHURMANN, R. A. STALL, J. W. LEE and S. J. PEARTON: Recessed gate GaN field effect transistor 1819

B. Q. TANG, Y. M. GAO and J. S. LUO: The quasi-three-dimensional optimum analysis of breakdown voltage of floating field-limiting rings 1821

A. MAJUMDAR: A complete charge control model for HEMTs 1825

NUMBER 12

R. G. RODRIGUES and J. M. BORREGO: Modulation spectroscopy characterization of InP and GaAs solar cells 1827

WANG ZONGXIN and CHU YOULING: Measuring and calculating the Hall mobility of semiconductor epitaxial layers by a contactless method 1837

DUHEON SONG, J. B. LEE, H. S. MIN and Y. J. PARK: Theory of thermal noise in long-channel MOS transistors operating before saturation 1845

X. LI, Q. DU, J. B. HÉROUX and W. I. WANG: *n*-Channel AlSb/GaSb modulation-doped field-effect transistors 1853

C. LALLEMENT, M. BUCHER and C. ENZ: Modelling and characterization of non-uniform substrate doping 1857

C. K. MAITI, L. K. BERA, S. S. DEY, D. K. NAYAK and N. B. CHAKRABARTI: Hole mobility enhancement in strained-Si *p*-MOSFETs under high vertical field 1863

T. T. MNATSAKANOV, L. I. POMORTSEVA and V. B. SHUMAN: Investigation into the effect of Auger recombination on charge carrier transport and static characteristics of silicon multilayer structures 1871

L. HE: High performance Schottky contacts on Se-doped $Al_xGa_{1-x}As$ by cryogenic processing 1881

S. K. H. FUNG, M. CHAN and P. K. KO: Inverse-narrow-width effect of deep sub-micrometer MOSFETs with LOCOS isolation 1885

S. CHATTOPADHYAY, L. K. BERA, K. MAHARATNA, S. CHAKRABARTI, S. DHAR, S. K. RAY and C. K. MAITI: Schottky diode characteristics of Ti on strained-Si 1891

S. KANITZ: Charge transport in thick SiO_2-based dielectric layers 1895

K. SUZUKI: A simple analytical model of counter doping in a uniformly and heavily doped channel region of MOSFETs 1903

F. REN, J. R. LOTHIAN, H. S. TSAI, J. M. KUO, J. LIN, J. S. WEINER, R. W. RYAN, A. TATE and Y. K. CHEN: High performance pseudomorphic InGaP/InGaAs power HEMTs..... 1913

K.-J. GAN and Y.-K. SU: Modelling current–voltage and hysteretic current–voltage characteristics with two resonant tunneling diodes connected in series 1917

S. A. KOSTYLEV, E. F. PROKHOROV, N. B. GOREV, I. F. KODZHESPIROVA and YU. A. KOVALENKO: Effect of substrate inhomogeneity on extrinsic photoconductivity of *n*-type GaAs thin-film structures under backgating 1923

N. THAPAR and B. J. BALIGA: Influence of the trench corner design on edge termination of UMOS power devices..... 1929

Notes

D. P. TRIANTIS, A. N. BIRBAS and S. E. PLEVRIDIS: Induced gate noise in MOSFETs revisited: the submicron case..... 1935

C. D. BRANDLE, F. REN, R. G. WILSON, J. W. LEE, S. J. PEARTON and J. M. ZAVADA: Stability of hydrogen in $ScAlMgO_4$ 1941

C. B. VARTULI, S. J. PEARTON, C. R. ABERNATHY, J. D. MACKENZIE, F. REN, J. C. ZOLPER and R. J. SHUL: Wet chemical etching survey of III-nitrides..... 1944

RAVISHANKAR SUNKAVALLI and B. JAYANT BALIGA: Comparison of high speed DI-LIGBT structures..... 1949

J. SONG and J. S. YUAN: Optimum Ge profile for base transit time minimization of SiGe HBT 1953